MODIS Clear-Water Epsilon

Product Description

This product provides a single parameter (3707). The parameter is the ratio of clear water-leaving radiance at 531 nm to that at 667 nm and is called the clearwater epsilon [$\mathcal{E}(531,667)$]. This quantity relates directly to the iron content of aerosols over clear waters mostly in the \pm 35° latitude range. The Level 2 product is produced daily and the Level 3 product is produced daily and weekly, all at 1 km spatial resolution.

Research & Applications

The primary purpose of this algorithm is to estimate aerosol iron content over ocean waters. The aerosol iron influences the validity of other MODIS products. The secondary objective is to flag instances when normalized water-leaving radiance retrievals may need adjustment due to aerosol absorption at blue and green wavelengths. Such errors will affect chlorophyll a calculations. The third objective is to provide a check on the Angstrom exponent derived at red and infrared wavelengths. The algorithm is valid for pigment concentrations up to 2 mg/m³. When pigment concentrations are larger than this the algorithm can no longer be applied. A research algorithm is planned post-launch that will use a coupled ocean-atmosphere radiance model to interactively address aerosols in high-pigment water.

Data Set Evolution

The algorithm is based on methods developed for obtaining clear-water epsilon values from CZCS data (Gordon, 1981). Modifications for the MODIS algorithm include extension of the clear-water concept to include waters with higher pigment concentrations and modification of the values of the normalized water-leaving radiance at 520, 550 and 670 nm for CZCS to the slightly different MODIS bands by means of the water absorption curve. Product validation will use SeaWiFS data in the prelaunch and MODIS data post-launch. Scattering and optical thickness data plus ship data of water-leaving radiances data will be acquired to test the clear-water radiance assumptions. This is an interim validation product which may not be archived.

Suggested Reading

Carder, K.L., et al., 1991.

Gordon, H.R., 1978.

Gordon, H.R. and D.K. Clark, 1981.

Gordon, H.R., and A.Y. Morel, 1983.

Gordon, H.R. and M. Wang, 1994.

MOD 39 PRODUCT SUMMARY

Coverage:

global ocean surface, clear-sky only

Spatial/Temporal Characteristics:

1 km/daily, weekly

Key Science Applications:

aerosol iron estimation, water-leaving radiance correction

Key Geophysical Parameters:

clear-water epsilon, aerosol iron content

Processing Level:

2, 3

Product Type:

validation, at-launch

Science Team Contact:

K. Carder